




4321 N. Knox Avenue
Chicago, IL 60641-1906 USA
www.awt-gpi.com

A.W.T. World Trade, Inc.
A Division of The A.W.T. World Trade Group

Phone: 773.777.7100
Fax: 773.777.0909
E-mail: sales@awt-gpi.com

January 17, 2010



CURE-TEX™ TEXTILE DRYER
A.W.T. Announces A New 18" Dryer
Ideal For Shops With Limited Floor Space

The Cure-Tex 18" Dryer is designed with the same high quality components as the Cure-Tex 24" Plastisol Textile Dryer. An excellent choice to fit the needs of shops with limited floor space and/or small budgets.

Standard Features:

- | | |
|---|---|
| <ul style="list-style-type: none"> • Solid state temperature controls • Heavy duty chamber insulation • Forced air system for even heat distribution • Adjustable radiant heat panel height | <ul style="list-style-type: none"> • Quality Fiberlon™ conveyor belt • Adjustable chamber aperture doors conserve heat • Plastisol curing from 6 to 8 dozen per hour |
|---|---|

Dimensions & Specifications:

In feed: 15" (38.1cm) Out feed: 15" (38.1cm)	Assembled Size: 148.60 cm x 71.12 cm x 101.6 cm
Assembled Size: 58.5" L x 28" W x 40" H	Shipping Weight: 400 lbs. (181kg)

SINGLE HEAT CHAMBERS

Cat. No	Conveyor Width	Heat Chamber	Electrical	Amps	Price (FOB Chicago)	Packing / Crating
CT-18-60	18" (46 cm)	28"	208-240 V, 1 Ph, 60 Hz	18.2	\$ 2,295.00 EA	\$125.00
CT-18-50	18" (46 cm)	28"	208-240 V, 1 Ph, 50 Hz	18.2	\$ 2,495.00 EA	\$125.00
CT-18-50-380	18" (46 cm)	28"	380-415 V, 3 Ph, 50 Hz		\$ 3,395.00 EA	\$125.00

DOUBLE HEAT CHAMBERS

Cat. No	Conveyor Width	Heat Chamber	Electrical	Amps	Price (FOB Chicago)	Packing / Crating
CT-18-60D	18" (46 cm)	56"	208-240 V, 1 Ph, 60 Hz	36.4	\$ 4,350.00 EA	\$225.00
CT-18-50D	18" (46 cm)	56"	208-240 V, 1 Ph, 50 Hz	36.4	\$ 4,490.00 EA	\$225.00



4321 N. Knox Avenue
Chicago, IL 60641-1906 USA
www.awt-gpi.com

A.W.T. World Trade, Inc.
A Division of The A.W.T. World Trade Group

Phone: 773.777.7100
Fax: 773.777.0909
E-mail: sales@awt-gpi.com

January 17, 2010

 CURE-TEX™ Series of Textile Dryers	CURE-TEX™ 24" BELT PLASTISOL TEXTILE DRYER A Better Solution For Low Cost Plastisol Curing
--	---

Top contender in the economy class, the Cure-Tex is a serious textile dryer, engineered with the same quality components as larger infrared units. The Cure-Tex combines solid-state temperature controls and heavy-duty chamber insulation to deliver heat efficiently to the garment and minimize energy consumption. Top-down airflow pattern distributes heat evenly and prevents scorching. Available with an optional cap curing panel.

Standard Features:

• Solid state temperature controls • Heavy duty chamber insulation • Forced air system for even heat distribution • Adjustable radiant heat panel height	• Quality Fiberlon™ conveyor belt • Adjustable chamber aperture doors conserve heat • Plastisol curing up to 12 dozen per hour
---	--

Dimensions & Specifications:

In feed: 24" (61 cm) Out feed: 24" (61 cm) Assembled Size: 84" L x 39" W x 51" H	Assembled Size: 213 cm x 99 cm x 130 cm Shipping Weight: 600 lbs. (272 kg)
---	---

SINGLE HEAT CHAMBERS

Cat. No	Conveyor Width	Heat Chamber	Electrical	Amps	Cap Panel	Price (FOB Chicago)	Packing / Crating
CT-24-60	24" (61 cm)	36"	208-240 V, 1 Ph, 60 Hz	22	N	\$ 3,350.00 EA	\$175.00
CT-24-50	24" (61 cm)	36"	208-240 V, 1 Ph, 50 Hz	22	N	\$ 3,450.00 EA	\$175.00
CT-24-380	24" (61 cm)	36"	380-415 V, 3 Ph, 50 Hz	12	N	\$ 3,675.00 EA	\$175.00
CTC-24-60	24" (61 cm)	36"	208-240 V, 1 Ph, 60 Hz	22	Y	\$ 3,550.00 EA	\$175.00
CTC-24-50	24" (61 cm)	36"	208-240 V, 1 Ph, 50 Hz	22	Y	\$ 3,675.00 EA	\$175.00
CTC-24-380	24" (61 cm)	36"	380-415 V, 3 Ph, 50 Hz	12	Y	\$ 3,995.00 EA	\$175.00



4321 N. Knox Avenue
Chicago, IL 60641-1906 USA
www.awt-gpi.com

A.W.T. World Trade, Inc.
A Division of The A.W.T. World Trade Group

Phone: 773.777.7100
Fax: 773.777.0909
E-mail: sales@awt-gpi.com

January 17, 2010

DOUBLE HEAT CHAMBERS

Cat. No	Conveyor Width	Heat Chamber	Electrical	Amps	Cap Panel	Price (FOB Chicago)	Packing / Crating
CT-24-60D	24" (61 cm)	72"	208-240 V, 1 Ph, 60 Hz	44	N	\$ 6,295.00 EA	\$320.00
CT-24-50D	24" (61 cm)	72"	208-240 V, 1 Ph, 50 Hz	44	N	\$ 6,495.00 EA	\$320.00
CT-24-380D	24" (61 cm)	72"	380-415 V, 3 Ph, 50 Hz	24	N	\$ 6,995.00 EA	\$320.00
CTC-24-60D	24" (61 cm)	72"	208-240 V, 1 Ph, 60 Hz	44	Y	\$ 6,750.00 EA	\$320.00
CTC-24-50D	24" (61 cm)	72"	208-240 V, 1 Ph, 50 Hz	44	Y	\$ 6,995.00 EA	\$320.00
CTC-24-380D	24" (61 cm)	72"	380-415 V, 3 Ph, 50 Hz	24	Y	\$ 7,750.00 EA	\$320.00