Printing date 09/15/2015 Reviewed on 05/27/2015

1 Identification

· Product identifier

· Trade name: <u>RC-5</u> · Article number: RC-5

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Chemical Consultants Inc. 1850 Wild Turkey Circle Corona, CA 92880 USA

+1 (951) 735-5511 ncollins@ccidom.com

- · Information department: Product safety department
- · Emergency telephone number: INFOTRAC 1-800-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

Repr. 1B H360 May damage fertility or the unborn child.

STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02 GHS07

GHS08

· Signal word Danger

(Contd. on page 2)

Printing date 09/15/2015 Reviewed on 05/27/2015

Trade name: RC-5

(Contd. of page 1) · Hazard-determining components of labeling: Solvent naphtha (petroleum), light arom. N-methyl-2-pyrrolidone 1-methoxy-2-propanol citrus terpene · Hazard statements H226 Flammable liquid and vapor. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H340 May cause genetic defects. H350 May cause cancer. H360 May damage fertility or the unborn child. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. H372 Causes damage to the central nervous system through prolonged or repeated exposure. H304 May be fatal if swallowed and enters airways. · Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P241 *Use explosion-proof electrical/ventilating/lighting/equipment.* P260 Do not breathe dust/fume/gas/mist/vapors/spray. P280 Wear protective gloves / eye protection / face protection. P240 Ground/bond container and receiving equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 *Use only outdoors or in a well-ventilated area.* P272 Contaminated work clothing must not be allowed out of the workplace. P201 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. P202 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P301+P310 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). P321 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P312 Wash contaminated clothing before reuse. P363 P308+P313 IF exposed or concerned: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P314 Get medical advice/attention if you feel unwell. P331 Do NOT induce vomiting. *In case of fire: Use for extinction: CO2, powder or water spray.* P370+P378 P362+P364 Take off contaminated clothing and wash it before reuse. P405 Store locked up. Store in a well-ventilated place. Keep container tightly closed. P403+P233 P403+P235 Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/15/2015 Reviewed on 05/27/2015

Trade name: RC-5

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 1 Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Component names which have the word (contaminant) are constituents in Aromatic hydrocarbon ingredients and are an integral part of the ingredient and cannot be separated. The percentage listed for the contaminant is as contained in the Hydrocarbon ingredient. Example: 100% hydrocarbon, 10% Contaminant A, 3% Contaminant B Mixture of the substances listed below with nonhazardous additions.

· Dangerous	· Dangerous components:		
_	1-methoxy-2-propanol	20-40%	
34590-94-8	(2-methoxymethylethoxy)propanol	10-20%	
64742-95-6	Solvent naphtha (petroleum), light arom.	10-20%	
95-63-6	1,2,4-trimethylbenzene (contaminant)	10-20%	
	N-methyl-2-pyrrolidone	1-10%	
8052-41-3	Stoddard solvent	1-10%	
	citrus terpene	1-5%	
108-67-8	mesitylene (contaminant)	<3%	
98-82-8	cumene (contaminant)	<1%	

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 4)

Printing date 09/15/2015 Reviewed on 05/27/2015

Trade name: RC-5

(Contd. of page 3)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

For large spills: Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

LIS

Printing date 09/15/2015 Reviewed on 05/27/2015

Trade name: RC-5

(Contd. of page 4)

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

PEL Long-term value: 600 mg/m³, 100 ppm Skin REL Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin TLV Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin 95-63-6 1,2,4-trimethylbenzene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm Long-term value: 123 mg/m³, 25 ppm 872-50-4 N-methyl-2-pyrrolidone WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 350 ppm Ceiling limit value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
Long-term value: 360 mg/m³, 100 ppm Short-term value: 184 mg/m³, 50 ppm 34590-94-8 (2-methoxymethylethoxy)propanol PEL Long-term value: 600 mg/m³, 100 ppm Skin REL Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin TLV Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin 95-63-6 1,2,4-trimethylbenzene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm TLV Long-term value: 123 mg/m³, 25 ppm 872-50-4 N-methyl-2-pyrrolidone WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 350 ppm Ceiling limit value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
TLV Short-term value: 369 mg/m³, 100 ppm Long-term value: 184 mg/m³, 50 ppm 34590-94-8 (2-methoxymethylethoxy)propanol PEL Long-term value: 600 mg/m³, 100 ppm Skin REL Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin TLV Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin 95-63-6 1,2,4-trimethylbenzene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm TLV Long-term value: 123 mg/m³, 25 ppm 872-50-4 N-methyl-2-pyrrolidone WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 350 ppm Ceiling limit value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
Long-term value: 184 mg/m³, 50 ppm 34590-94-8 (2-methoxymethylethoxy)propanol PEL Long-term value: 600 mg/m³, 100 ppm Skin REL Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin TLV Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin 95-63-6 1,2,4-trimethylbenzene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm TLV Long-term value: 123 mg/m³, 25 ppm 872-50-4 N-methyl-2-pyrrolidone WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
34590-94-8 (2-methoxymethylethoxy)propanol PEL Long-term value: 600 mg/m³, 100 ppm Skin REL Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin TLV Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin 95-63-6 1,2,4-trimethylbenzene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm TLV Long-term value: 123 mg/m³, 25 ppm 872-50-4 N-methyl-2-pyrrolidone WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 350 ppm Ceiling limit value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
PEL Long-term value: 600 mg/m³, 100 ppm Skin REL Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin TLV Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin 95-63-6 1,2,4-trimethylbenzene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm TLV Long-term value: 123 mg/m³, 25 ppm 872-50-4 N-methyl-2-pyrrolidone WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 350 ppm Ceiling limit value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
Skin REL Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin TLV Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin 95-63-6 1,2,4-trimethylbenzene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm TLV Long-term value: 123 mg/m³, 25 ppm 872-50-4 N-methyl-2-pyrrolidone WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 350 ppm Ceiling limit value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
REL Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin TLV Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin 95-63-6 1,2,4-trimethylbenzene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm Long-term value: 123 mg/m³, 25 ppm TLV Long-term value: 10 ppm Skin 872-50-4 N-methyl-2-pyrrolidone WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 350 ppm Ceiling limit value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
Long-term value: 600 mg/m³, 100 ppm Skin TLV Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin 95-63-6 1,2,4-trimethylbenzene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm Long-term value: 123 mg/m³, 25 ppm 872-50-4 N-methyl-2-pyrrolidone WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 2900 mg/m³, 500 ppm Ceiling limit value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
Skin TLV Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin 95-63-6 1,2,4-trimethylbenzene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm TLV Long-term value: 123 mg/m³, 25 ppm 872-50-4 N-methyl-2-pyrrolidone WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 2900 mg/m³, 500 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
Long-term value: 606 mg/m³, 100 ppm Skin 95-63-6 1,2,4-trimethylbenzene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm TLV Long-term value: 123 mg/m³, 25 ppm 872-50-4 N-methyl-2-pyrrolidone WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 2900 mg/m³, 500 ppm REL Long-term value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
Long-term value: 606 mg/m³, 100 ppm Skin 95-63-6 1,2,4-trimethylbenzene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm TLV Long-term value: 123 mg/m³, 25 ppm 872-50-4 N-methyl-2-pyrrolidone WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 2900 mg/m³, 500 ppm REL Long-term value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
Skin 95-63-6 1,2,4-trimethylbenzene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm TLV Long-term value: 123 mg/m³, 25 ppm 872-50-4 N-methyl-2-pyrrolidone WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 2900 mg/m³, 500 ppm REL Long-term value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
REL Long-term value: 125 mg/m³, 25 ppm TLV Long-term value: 123 mg/m³, 25 ppm 872-50-4 N-methyl-2-pyrrolidone WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 2900 mg/m³, 500 ppm Ceiling limit value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
TLV Long-term value: 123 mg/m³, 25 ppm 872-50-4 N-methyl-2-pyrrolidone WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 2900 mg/m³, 500 ppm REL Long-term value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
872-50-4 N-methyl-2-pyrrolidone WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 2900 mg/m³, 500 ppm REL Long-term value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
WEEL Long-term value: 10 ppm Skin 8052-41-3 Stoddard solvent PEL Long-term value: 2900 mg/m³, 500 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
Skin 8052-41-3 Stoddard solvent PEL Long-term value: 2900 mg/m³, 500 ppm REL Long-term value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
8052-41-3 Stoddard solvent PEL Long-term value: 2900 mg/m³, 500 ppm REL Long-term value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
PEL Long-term value: 2900 mg/m³, 500 ppm REL Long-term value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
REL Long-term value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
Ceiling limit value: 1800* mg/m³ *15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
*15-min TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
TLV Long-term value: 525 mg/m³, 100 ppm 108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
108-67-8 mesitylene (contaminant) REL Long-term value: 125 mg/m³, 25 ppm	
REL Long-term value: 125 mg/m³, 25 ppm	
TIV I am a tamma undu au 122 m a/m 3 25 mmm	
TLV Long-term value: 123 mg/m³, 25 ppm	
Ingredients with biological limit values:	

BEI | 100 mg/L

Medium: urine Time: end of shift

Parameter: 5-Hydroxy-N-methyl-2-pyrrolidone

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 6)

Printing date 09/15/2015 Reviewed on 05/27/2015

Trade name: RC-5

(Contd. of page 5)

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Fluid

Color: According to product specification

Odor: CharacteristicOdour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: $> 149 \,^{\circ}C \, (> 300 \,^{\circ}F)$

• Flash point: $43 \, ^{\circ}C \, (109 \, ^{\circ}F)$

· Flammability (solid, gaseous): Not applicable.

• Ignition temperature: 230 °C (446 °F)

• **Decomposition temperature:** Not determined.

· Auto igniting: Product is not selfigniting.

(Contd. on page 7)

Printing date 09/15/2015 Reviewed on 05/27/2015

Trade name: RC-5

	(Contd. of page
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	1.1 Vol %
Upper:	20.0 Vol %
· Vapor pressure at 20 °C (68 °F):	12 hPa (9 mm Hg)
Density at 20 °C (68 °F):	0.905 g/cm³ (7.552 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
VOC content:	690.0 g/l / 5.76 lb/gl
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- $\cdot \textbf{Incompatible materials:} \ No \ further \ relevant \ information \ available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:		
64742-95-	6 Solvent n	naphtha (petroleum), light arom.
Oral	LD50	>6800 mg/kg (rat)
Dermal	LD50	>3400 mg/kg (rab)
Inhalative	LC50/4 h	>10.2 mg/l (rat)
95-63-6 1,.	2,4-trimeth	nylbenzene (contaminant)
Oral	LD50	5000 mg/kg (rat)
872-50-4 N	V-methyl-2	-pyrrolidone
Oral	LD50	3914 mg/kg (rat)
Dermal	LD50	8000 mg/kg (rabbit)

(Contd. on page 8)

Printing date 09/15/2015 Reviewed on 05/27/2015

Trade name: RC-5

(Contd. of page 7)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories

· IARC (Inte	ernational Agency for Research on Cancer)	
1330-20-7	xylene (contaminant)	3
98-82-8	cumene (contaminant)	2B
· NTP (Natio	onal Toxicology Program)	
98-82-8 cu	98-82-8 cumene (contaminant)	
· OSHA-Ca	(Occupational Safety & Health Administration)	
None of the	None of the ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations

us ·

Printing date 09/15/2015 Reviewed on 05/27/2015

Trade name: RC-5

(Contd. of page 8)

Transport information	
UN-Number DOT	NOT DOT REGULATED FOR DOMESTIC GROUND TRANSPORTATION
IMDG, IATA	UN1993
UN proper shipping name IMDG	FLAMMABLE LIQUID, N.O.S. (1-METHOXY-2-PROPANOI
IATA	Solvent naphtha (petroleum), light arom.), MARINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (1-METHOXY-2-PROPANOL Solvent naphtha (petroleum), light arom.)
Transport hazard class(es)	
IMDG	
Class	3 Flammable liquids
Label	3
IATA	
Class	3 Flammable liquids
Label	3
Packing group	
IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	Yes
	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler): EMS Number:	30 E E C E
	F-E, <u>S-E</u>
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (1-METHOXY-2 PROPANOL, SOLVENT NAPHTHA (PETROLEUM), LIGH AROM.), 3, III

Printing date 09/15/2015 Reviewed on 05/27/2015

Trade name: RC-5

(Contd. of page 9)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 355 (extremely hazardous substances)	· Section 355	(extremely	hazardous	substances):
--	---------------	------------	-----------	------------	----

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

34590-94-8	(2-methoxymethylethoxy)propanol

95-63-6 1,2,4-trimethylbenzene (contaminant)

872-50-4 N-methyl-2-pyrrolidone

1330-20-7 xylene (contaminant)

98-82-8 cumene (contaminant)

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

This product contains a chemical known to the state of California to cause cancer

98-82-8 cumene (contaminant)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

872-50-4 N-methyl-2-pyrrolidone

· Carcinogenic categories

· EPA (Envi	ronmental Protection Agency)	
1330-20-7	xylene (contaminant)	Ι
98-82-8	cumene (contaminant)	D, CBD

· TLV (Threshold Limit Value established by ACGIH)

1330-20-7 xylene (contaminant)

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS08

GHS02

GHS07

· Signal word Danger

· Hazard-determining components of labeling:

Solvent naphtha (petroleum), light arom.

N-methyl-2-pyrrolidone

1-methoxy-2-propanol

citrus terpene

(Contd. on page 11)

Printing date 09/15/2015 Reviewed on 05/27/2015

Trade name: RC-5

· Hazard st	(Contd. of page 10)
H226	Flammable liquid and vapor.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H340	May cause genetic defects.
H350	May cause cancer.
H360	May damage fertility or the unborn child.
	36 May cause respiratory irritation. May cause drowsiness or dizziness.
H372	Causes damage to the central nervous system through prolonged or repeated exposure.
H304	May be fatal if swallowed and enters airways.
	nary statements
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves / eye protection / face protection.
P240	Ground/bond container and receiving equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P301+P3	
P303+P3	61+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
	shower.
P305+P3	51+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P304+P3	40 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P363	Wash contaminated clothing before reuse.
P308+P3	13 IF exposed or concerned: Get medical advice/attention.
P333+P3	13 If skin irritation or rash occurs: Get medical advice/attention.
P337 + P3	13 If eye irritation persists: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P331	Do NOT induce vomiting.
P370+P3	
P362+P3	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P403+P2	
P403+P2	1 1
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 12)

Printing date 09/15/2015 Reviewed on 05/27/2015

Trade name: RC-5

(Contd. of page 11)

· Contact: Mr. Collins

· Date of preparation / last revision 09/15/2015 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Muta. 1B: Germ cell mutagenicity, Hazard Category 1B

Carc. 1B: Carcinogenicity, Hazard Category 1B

Repr. 1B: Reproductive toxicity, Hazard Category 1B

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

HS